





NTC 芯片技术创新，在芯片电极核心技术进行研发试验，开始进行批产试验。优点 提高稳定性和良好的导电性

NTC chip technology innovation: Conduct research and development tests in the chip electrode core technology.

Advantages: Improved stability and good electrical conductivity.

JRS 金瑞昇電子有限公司

JIN RUI SHENG ELECTRONIC Co.,LTD

地址：40874台中市南屯區向上路二段405號11樓

電話：886-4-2380-7121

傳真：886-4-2380-7131

信箱：jean@jrs-protector.com

網址：www.jrs-protector.com




智能卫浴 Intelligent Bathroom



响应时间 <1s
易安装
RoHS 标准
操作温度范围：
-30℃~150℃

Response time <1s
Easy for assembling
RoHS standard
Operating temperature:
-30℃~150℃



具有良好的耐高温性能，反应灵敏，方便安装
适用于小家电
工作温度：-30℃~200℃

High temperature resistance, sensitive response, convenient installation.
Suitable for small appliances.
Operating temperature: -30℃~200℃




防水性能好，响应速度快适用于豆浆机等饮品制作机器
Good waterproof and quick response, suitable for soybean milk machine and other beverage making machines



咖啡壶用传感器，反应灵敏
反应时间 <1秒

Coffee pot sensor, quick response, reaction time <1s




具有高灵敏性能，易安装 耐高温
适用于电磁炉等高温智能家电
工作温度：-30℃~250℃


High sensitivity, convenient installation, high temperature resistance.
Suitable for electromagnetic cooker and other high temperature intelligent home appliances.
Operating temperature: -30℃~250℃.



具有良好的防水性能，易安装 高灵敏度 高绝缘，适用于新能源汽车
With good waterproof performance, convenient installation, high sensitivity and insulation, suitable for new energy vehicles.



具有良好的防水性能，易安装 高灵敏度 高绝缘，适用于新能
源设备
工作温度：-40℃~150℃
With good waterproof performance, convenient
installation, high sensitivity and insulation, suitable
for new energy equipment.
Operating temperature:-40℃~150℃



冰箱 Refrigerator

具有良好的防水性能，耐低温，耐
高压，适合用于冰箱
温度：-40℃~80℃



Good waterproof performance,
low temperature and high
pressure resistance.
Suitable for refrigerators.
Temperature: -40℃~80℃



具有高防水性能、易安装、高绝缘 适用于啤酒柜、制冰机等低温智能家电 工作温度：-40℃~105℃
With high waterproof performance, easy installation, high insulation.
Suitable for beer cabinet, ice machine and other low temperature intelligent home appliances
Operating temperature: -40℃~105℃




热水器 Water Heater




具有良好的防水性能，耐高温，反应灵敏，
适用于热水器等，
工作温度：-30°C~105°C

With good waterproof performance, high
temperature resistance, sensitive reaction, suitable
for water heater, etc.
Operating temperature: -30°C~105°C



空调 Air conditioner




体积小，反应快，防水性能好，适用于空调系
统。
适合工作温度：-30°C~105°C

Small size, quick response, good waterproof,
suitable for air conditioning system.
Suitable operating temperature :
-30°C~105°C



洗衣机 Washing Machine



具有良好的防水性能，耐低温，耐高压，适用于洗衣机、干衣
机等工作温度：-30°C~105°C

With good waterproof performance, low temperature
and high pressure resistance, suitable for washing
machine, dryer, etc.

Operating temperature: -30°C~105°C

